

Фильтрующие устройства для эвакуации BLITZ 5, BLITZ 10, POLI-BLITZ

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47


эл.почта: eut@nt-rt.ru || сайт: <https://ekastu.nt-rt.ru>



Technical Data Sheet

BLITZ 5

Order no.:	466 408	
Product designation:	Filtering Escape Device BLITZ 5	
Applied standard:	DIN 58647-7-ABEK 5 (DIN = German Institute for Standardization)	
Utilization:	Filtering Escape Devices are determined for escaping from danger areas. Filtering Escape Device can be carried at a belt, waist band, etc. due to an attached clip on the carrying and storage case. The scope of protection is determined by the product information, technical standards and valid application rules.	
Description:	The Filtering Escape Device is equipped with a mouthpiece and nose clip, therefore it reach the ultimate tightness in contaminated area. On the basis of uniqueness mouthpiece assembly is the device for all possible users suitable, even for bearded and spectacle wearers. The size of the carrying and storage case is (8x8x6) cm.	
Operation time:	approx. 5 min.	
Materials:	Mouthpiece Nose clip Filter case Sorbents Carrying and Storage Case	Silicone Plastic (ABS) Plastic (ABS) Impregnated active charcoal Polypropylene (PP)
Weight:	approx. 115 g (without Carrying and Storage Case) approx. 170 g (with Carrying and Storage Case)	
Inhalation resistance:	at 95 l/min, constant flow	max. 8.0 mbar (DIN 58647-7-ABEK 5)
Exhalation resistance:	at 95 l/min, constant flow	max. 8.0 mbar (DIN 58647-7-ABEK 5)
Marking:	Trade mark of manufacturer (LOGO) Product designation Applied standard Expiry of shelf-life (MM/YYYY) CE-Identification Notified body Instruction for use (Pictogram) Type identifying marking	
Handling:	Take the Filtering Escape Device from the Carrying and Storage Case directly before use. Use the Filtering Escape Device in accordance with the information brochure.	
Storage conditions:	Ambient temperature. Protect against cold, heat and humidity. Consider conditions noted on packaging.	
Warning reference:	Please consider the information brochure!	
User references:	EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the Respiratory protective devices with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-190 resp. DIN EN 529 'Respiratory protective devices – recommendation for selection, use, care and maintenance – guidelines'.	



Technical Data Sheet

BLITZ 10

Order no.:	466 410		
Product designation:	Filtering Escape Device BLITZ 10		
Applied standard:	DIN 58647-7-ABEK 10 (DIN = German Institute for Standardization)		
Utilization:	Filtering Escape Devices are determined for escaping from danger areas. Filtering Escape Device can be carried at a belt, waist band, etc. due to an attached clip on the carrying and storage case. The scope of protection is determined by the product information, technical standards and valid application rules.		
Description:	The Filtering Escape Device is equipped with a mouthpiece and nose clip, therefore it reach the ultimate tightness in contaminated area. On the basis of uniqueness mouthpiece assembly is the device for all possible users suitable, even for bearded and spectacle wearers.		
Operation time:	approx. 10 min.		
Materials:	Mouthpiece	Silicone	
	Nose clip	Polyamide (PA)/Silicone	
	Filter case	Plastic (ABS)	
	Sorbents	Impregnated active charcoal	
	Carrying and Storage Case	Polypropylene (PP)	
Weight:	approx. 156 g (without Carrying and Storage Case) approx. 218 g (with Carrying and Storage Case)		
Inhalation resistance:	at 95 l/min, constant flow	max. 8.0 mbar (DIN 58647-7-ABEK 10)	
Exhalation resistance:	at 95 l/min, constant flow	max. 5.0 mbar (DIN 58647-7-ABEK 10)	
Marking:	Trade mark of manufacturer (LOGO) Product designation Applied standard Expiry of shelf-life (MM/YYYY) CE-Identification Notified body Instruction for use (Pictogram) Type identifying marking		
Handling:	Take the Filtering Escape Device from the Carrying and Storage Case directly before use. Use the Filtering Escape Device in accordance with the information brochure.		
Storage conditions:	Ambient temperature. Protect against cold, heat and humidity. Consider conditions noted on the packaging.		
Warning reference:	Please consider the information brochure!		
User references:	EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the Respiratory protective devices with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-190 resp. DIN EN 529 ‘Respiratory protective devices – recommendation for selection, use, care and maintenance – guidelines’.		



Technical Data Sheet

POLI-BLITZ

Order no.:	466 426	
Product designation:	Filtering Escape Device POLI-BLITZ	
Applied standard:	DIN 58647-7-ABEK 15 (DIN = German Institute for Standardization) Explosion protection according to DIN EN 1127-1, DIN EN 13463-1	
Utilization:	Filtering Escape Devices are determined for escaping from a danger area. Carrying of the Filtering Escape Device can be simplified with the help of the belt clip at the belt, elastic waist etc. The scope of protection is determined by the product information, technical standards and valid application rules.	
Operation time:	approx. 15 min.	
Description:	Filtering Escape Devices enclose the nose, mouth and chin.	
Materials:	Faceblank	EPDM (Ethylene-Propylene-Diene-Mixture)
	Fastener for head harness	Polyamide
	Head harness	Rubber
	Inhalation- and Exhalation valve	Rubber
	Exhalation valve fit	Plastic (ABS)
	Exhalation valve cap	Polyethylene
	Filter connector	Polyphenylene
	Filter case:	Plastic (ABS)
	Sorbents:	Impregnated active charcoal
	Banderole:	Paper
	Carrying and Storage Case	Plastic (ABS)
	Belt clip	Spring steel
	Sealing	Polyethylene (gummed)
Weight:	approx. 240 g (without Carrying and Storage Case) approx. 410 g (with Carrying and Storage Case)	
Inhalation resistance:	at 95 l/min, constant flow max. 8.0 mbar (DIN 58647-7-ABEK 15)	
Exhalation resistance:	at 95 l/min, constant flow max. 5.0 mbar (DIN 58647-7-ABEK 15)	
Marking:	Trade mark of manufacturer (LOGO) Product designation Applied standard Expiry of shelf-life (MM/YYYY) CE-Identification Notified body Instruction for use (Pictogram) Type identifying marking	
Handling:	Take the Filtering Escape Device from the Carrying and/or Storage Case directly before use. Use the Filtering Escape Device in accordance with the information brochure.	
Storage conditions:	Ambient temperature. Protect against cold, heat and humidity. Consider conditions noted on the packaging.	
Warning reference:	Please consider the information brochure!	
User references:	EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the Respiratory protective devices with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-190 resp. DIN EN 529 'Respiratory protective devices – recommendation for selection, use, care and maintenance – guidelines'.	



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47