

Защитные очки

CARINA KLEIN DESIGN 12720, 12710, 12750

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eut@nt-rt.ru || сайт: <https://ekastu.nt-rt.ru>



Technical Data Sheet

CARINA KLEIN DESIGN 12720

Order no.:	277 376	
Product designation:	Safety Spectacle CARINA KLEIN DESIGN 12720 clear	
Applied standard:	DIN EN 166 / DIN EN 170 (DIN = German Institute for Standardization)	
Utilization:	The safety spectacle is ideal for factory visitors, laboratory workers and assembly workers. It can be carried in connection with half masks or filtering half masks. The scope of protection is determined by the product information, technical standards and valid application rules.	
Description:	The safety spectacle encloses the eye range.	
Materials:	Frame	Polycarbonate
	Mounting screw	Metal
	Lens	Polycarbonate
Colour of frame:	dark blue	
Lens thickness:	2,0 mm	
Lenses colour:	clear	
Weight:	approx. 22 g	
Marking:	Trade mark of manufacturer (LOGO) Product designation Applied standard CE-Identification Optical class Protection level of the eyeglass filters Abbreviation for mechanical firmness	
Marking explanation:	1 Optical class (particularly high requirement of the visual efficiency) 2-1.2 Protection level of the eyeglass filters (ultraviolet protection filter) FT Mechanical firmness – Impact with high speed and low energy at extreme temperatures (-5°C to 55°C)	
Properties:	Anti-Scratch Anti-Fog 99,99% UV-Protection	
Handling:	Take the Safety spectacles from the packing directly before use. Use the Safety spectacles in accordance with the information brochure.	
Storage conditions:	Ambient temperature. Protect against cold, heat and humidity. Consider conditions noted on the information brochure.	
Warning reference:	Please consider the information brochure!	
User references:	EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the ocular protection and facial protection with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-192 'use of ocular protection and facial protection'.	



Technical Data Sheet

CARINA KLEIN DESIGN 12710 clear

Order no.:	277 374	
Product designation:	Safety Spectacle CARINA KLEIN DESIGN 12710 clear	
Applied standard:	DIN EN 166 / DIN EN 170 (DIN = German Institute for Standardization)	
Utilization:	The safety spectacle is ideal for factory visitors, laboratory workers and assembly workers. It can be carried in connection with half masks or filtering half masks. The scope of protection is determined by the product information, technical standards and valid application rules.	
Description:	The safety spectacle encloses the eye range.	
Materials:	Frame	Polycarbonate
	Mounting screw	Metal
	Lens	Polycarbonate
	Interior padding	Polycarbonate/Foam
Colour of frame:	silver-grey	
Lens thickness:	3,1 mm	
Lenses colour:	clear	
Weight:	approx. 37 g	
Marking:	Trade mark of manufacturer (LOGO) Product designation Applied standard CE-Identification Optical class Operating range Protection level of the eyeglass filters Abbreviation for mechanical firmness	
Marking explanation:	1 Optical class (particularly high requirement of the visual efficiency) 2-1.2 Protection level of the eyeglass filters (ultraviolet protection filter) FT Mechanical firmness – Impact with high speed and low energy at extreme temperatures (-5°C to 55°C)	
Properties:	Anti-Scratch Anti-Fog 99,99% UV-Protection Pantoscopic adjustment (4-positions) Removable interior padding	
Handling:	Take the Safety spectacles from the packing directly before use. Use the Safety spectacles in accordance with the information brochure.	
Storage conditions:	Ambient temperature. Protect against cold, heat and humidity. Consider conditions noted on the information brochure.	
Warning reference:	Please consider the information brochure!	
User references:	EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the ocular protection and facial protection with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-192 'use of ocular protection and facial protection'.	



Technical Data Sheet

CARINA KLEIN DESIGN 12750

Order no.:	277 377	
Product designation:	Safety Spectacle CARINA KLEIN DESIGN 12750 clear	
Applied standard:	DIN EN 166 / DIN EN 170 (DIN = German Institute for Standardization)	
Utilization:	The safety spectacle is ideal for factory visitors, laboratory workers and assembly workers. It can be carried in connection with half masks or filtering half masks. The scope of protection is determined by the product information, technical standards and valid application rules.	
Description:	The safety spectacle encloses the eye range.	
Materials:	Frame	Polyamide
	Nose pad upholstery	Polyvinyl chloride
	Mounting screw	Metal
	Lens	Polycarbonate
Colour of frame:	dark blue	
Lens thickness:	2,0 mm	
Lenses colour:	clear	
Weight:	approx. 31 g	
Marking:	Trade mark of manufacturer (LOGO) Product designation Applied standard CE-Identification Optical class Protection level of the eyeglass filters Abbreviation for mechanical firmness	
Marking explanation:	1 Optical class (particularly high requirement of the visual efficiency) 2-1.2 Protection level of the eyeglass filters (ultraviolet protection filter) FT Mechanical firmness – Impact with high speed and low energy at extreme temperatures (-5°C to 55°C)	
Properties:	Anti-Scratch Anti-Fog 99,99% UV-Protection 4-position adjustable temples	
Handling:	Take the Safety spectacles from the packing directly before use. Use the Safety spectacles in accordance with the information brochure.	
Storage conditions:	Ambient temperature. Protect against cold, heat and humidity. Consider conditions noted on the information brochure.	
Warning reference:	Please consider the information brochure!	
User references:	EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the ocular protection and facial protection with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-192 'use of ocular protection and facial protection'.	



Technical Data Sheet

CARINA KLEIN DESIGN 12710 tinted

Order no.:	277 387	
Product designation:	Safety Spectacle CARINA KLEIN DESIGN 12710 tinted	
Applied standard:	DIN EN 166 / DIN EN 172 (DIN = German Institute for Standardization)	
Utilization:	The safety spectacle is ideal for work in the outdoor area with sunlight irradiation. It can be carried in connection with half masks or filtering half masks. The scope of protection is determined by the product information, technical standards and valid application rules.	
Description:	The safety spectacle encloses the eye range.	
Materials:	Frame	Polycarbonate
	Mounting screw	Metal
	Lens	Polycarbonate
	Interior padding	Polycarbonate/Foam
Colour of frame:	silver-grey	
Lens thickness:	3,1 mm	
Lenses colour:	dark grey (reflective)	
Weight:	approx. 37 g	
Marking:	Trade mark of manufacturer (LOGO) Product designation Applied standard CE-Identification Optical class Operating range Protection level of the eyeglass filters Abbreviation for mechanical firmness	
Marking explanation:	1 Optical class (particularly high requirement of the visual efficiency) 5-3.1 Protection level of the eyeglass filters (ultraviolet protection filter) FT Mechanical firmness – Impact with high speed and low energy at extreme temperatures (-5°C to 55°C)	
Properties:	Anti-Scratch Anti-Fog 100,00% UV-Protection Pantoscopic adjustment (4-positions) Removable interior padding	
Handling:	Take the Safety spectacles from the packing directly before use. Use the Safety spectacles in accordance with the information brochure.	
Storage conditions:	Ambient temperature. Protect against cold, heat and humidity. Consider conditions noted on the information brochure.	
Warning reference:	Please consider the information brochure!	
User references:	EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the ocular protection and facial protection with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-192 'use of ocular protection and facial protection'.	

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eut@nt-rt.ru || сайт: <https://ekastu.nt-rt.ru>