

Перчатки химической защиты тип А

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eut@nt-rt.ru || сайт: <https://ekastu.nt-rt.ru>



Technical Data Sheet

Protection Gloves 660

Order no.:	381 660
Product designation:	EKASTU-Chemical-Protection gloves 660 (Size 10)
Applied standard:	DIN EN ISO 374-1:2017-03/Type A, DIN EN ISO 374-5:2017-03, DIN EN 388:2017-01, DIN EN 420:2010-03 (DIN = German Institute for Standardization)
Utilization:	Protection against mechanical risks and certain chemicals such as fats, oils, most acids and bases.
Description:	The length of gloves are approx. 60cm and cotton lined. Size: 10 Color: green Category: 3

Mechanical Characteristics	
Abrasion resistance	3
Cut resistance according to Coup-Test	1
Tear resistance	2
Puncture resistance	1
Cut resistance according to ISO	X
Protection against impact	X

Materials:	Outside of gloves: Polyvinyl chloride (PVC) 0,80mm Inside of gloves: Cotton (knitted) 0,40mm
Weight:	approx. 500 g
Marking:	Trade mark of manufacturer (LOGO) Product designation Applied standard Consider the information brochure CE-Identification Notified body Size
Handling:	Take the Protection gloves from the packing directly before use. Use the Protection gloves in accordance with the information brochure.
Storage conditions:	Ambient temperature. Protect against cold, heat and humidity. Consider conditions noted on the packaging.
Warning reference:	Please consider the information brochure!
User references:	EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the Protection gloves with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-195 „Use of Protection Gloves“.

Technical Data Sheet

Protection Gloves 640

Order no.:	381 640
Product designation:	EKASTU-Chemical-Protection gloves 640 (Size 10)
Applied standard:	DIN EN ISO 374-1:2017-03/Type A, DIN EN ISO 374-5:2017-03, DIN EN 388:2017-01, DIN EN 420:2010-03 (DIN = German Institute for Standardization)
Utilization:	Protection against mechanical risks and certain chemicals such as fats, oils, most acids and bases.
Description:	The length of gloves are approx. 40cm and cotton lined. Size: 10 Color: green Category: 3

Mechanical Characteristics	
Abrasion resistance	3
Cut resistance according to Coup-Test	1
Tear resistance	2
Puncture resistance	1
Cut resistance according to ISO	X
Protection against impact	X

Materials:	Outside of gloves: Polyvinyl chloride (PVC) 0,80mm Inside of gloves: Cotton (knitted) 0,40mm
Weight:	approx. 290 g
Marking:	Trade mark of manufacturer (LOGO) Product designation Applied standard Consider the information brochure CE-Identification Notified body Size
Handling:	Take the Protection gloves from the packing directly before use. Use the Protection gloves in accordance with the information brochure.
Storage conditions:	Ambient temperature. Protect against cold, heat and humidity. Consider conditions noted on the packaging.
Warning reference:	Please consider the information brochure!
User references:	EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the Protection gloves with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-195 „Use of Protection Gloves“.

Technical Data Sheet

Protection Gloves 636

Order no.:	381 636
Product designation:	EKASTU-Chemical-Protection gloves 636 (Size 9)
Applied standard:	DIN EN ISO 374-1:2017-03/Type A, DIN EN ISO 374-5:2017-03, DIN EN 388:2017-01, DIN EN 420:2010-03 (DIN = German Institute for Standardization)
Utilization:	Protection against mechanical risks and certain chemicals such as fats, oils, most acids and bases.
Description:	The length of gloves are approx. 35cm and cotton lined. Size: 9 Color: green Category: 3

Mechanical Characteristics	
Abrasion resistance	3
Cut resistance according to Coup-Test	1
Tear resistance	2
Puncture resistance	1
Cut resistance according to ISO	X
Protection against impact	X

Materials:	Outside of gloves: Polyvinyl chloride (PVC) 0,80mm Inside of gloves: Cotton (knitted) 0,40mm
Weight:	approx. 230 g
Marking:	Trade mark of manufacturer (LOGO) Product designation Applied standard Consider the information brochure CE-Identification Notified body Size
Handling:	Take the Protection gloves from the packing directly before use. Use the Protection gloves in accordance with the information brochure.
Storage conditions:	Ambient temperature. Protect against cold, heat and humidity. Consider conditions noted on the packaging.
Warning reference:	Please consider the information brochure!
User references:	EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the Protection gloves with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-195 „Use of Protection Gloves“.

Technical Data Sheet

Protection Gloves 635

Order no.:	381 635
Product designation:	EKASTU-Chemical-Protection gloves 635 (Size 10)
Applied standard:	DIN EN ISO 374-1:2017-03/Type A, DIN EN ISO 374-5:2017-03, DIN EN 388:2017-01, DIN EN 420:2010-03 (DIN = German Institute for Standardization)
Utilization:	Protection against mechanical risks and certain chemicals such as fats, oils, most acids and bases.
Description:	The length of gloves are approx. 35cm and cotton lined. Size: 10 Color: green Category: 3

Mechanical Characteristics	
Abrasion resistance	3
Cut resistance according to Coup-Test	1
Tear resistance	2
Puncture resistance	1
Cut resistance according to ISO	X
Protection against impact	X

Materials:	Outside of gloves: Polyvinyl chloride (PVC) 0,80mm Inside of gloves: Cotton (knitted) 0,40mm
Weight:	approx. 250 g
Marking:	Trade mark of manufacturer (LOGO) Product designation Applied standard Consider the information brochure CE-Identification Notified body Size
Handling:	Take the Protection gloves from the packing directly before use. Use the Protection gloves in accordance with the information brochure.
Storage conditions:	Ambient temperature. Protect against cold, heat and humidity. Consider conditions noted on the packaging.
Warning reference:	Please consider the information brochure!
User references:	EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the Protection gloves with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-195 „Use of Protection Gloves“.

Technical Data Sheet

Protection Gloves 629

Order no.:	381 629
Product designation:	EKASTU-Chemical-Protection gloves 629 (Size 9)
Applied standard:	DIN EN ISO 374-1:2017-03/Type A, DIN EN ISO 374-5:2017-03, DIN EN 388:2017-01, DIN EN 420:2010-03 (DIN = German Institute for Standardization)
Utilization:	Protection against mechanical risks and certain chemicals such as fats, oils, most acids and bases.
Description:	The length of gloves are approx. 28cm and cotton lined. Size: 9 Color: green Category: 3

Mechanical Characteristics	
Abrasion resistance	3
Cut resistance according to Coup-Test	1
Tear resistance	2
Puncture resistance	1
Cut resistance according to ISO	X
Protection against impact	X

Materials:	Outside of gloves: Polyvinyl chloride (PVC) 0,80mm Inside of gloves: Cotton (knitted) 0,40mm
Weight:	approx. 160 g
Marking:	Trade mark of manufacturer (LOGO) Product designation Applied standard Consider the information brochure CE-Identification Notified body Size
Handling:	Take the Protection gloves from the packing directly before use. Use the Protection gloves in accordance with the information brochure.
Storage conditions:	Ambient temperature. Protect against cold, heat and humidity. Consider conditions noted on the packaging.
Warning reference:	Please consider the information brochure!
User references:	EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the Protection gloves with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-195 „Use of Protection Gloves“.

Technical Data Sheet

Protection Gloves 628

Order no.:	381 628
Product designation:	EKASTU-Chemical-Protection gloves 628 (Size 10)
Applied standard:	DIN EN ISO 374-1:2017-03/Type A, DIN EN ISO 374-5:2017-03, DIN EN 388:2017-01, DIN EN 420:2010-03 (DIN = German Institute for Standardization)
Utilization:	Protection against mechanical risks and certain chemicals such as fats, oils, most acids and bases.
Description:	The length of gloves are approx. 28cm and cotton lined. Size: 10 Color: green Category: 3

Mechanical Characteristics	
Abrasion resistance	3
Cut resistance according to Coup-Test	1
Tear resistance	2
Puncture resistance	1
Cut resistance according to ISO	X
Protection against impact	X

Materials:	Outside of gloves: Polyvinyl chloride (PVC) 0,80mm Inside of gloves: Cotton (knitted) 0,40mm
Weight:	approx. 180 g
Marking:	Trade mark of manufacturer (LOGO) Product designation Applied standard Consider the information brochure CE-Identification Notified body Size
Handling:	Take the Protection gloves from the packing directly before use. Use the Protection gloves in accordance with the information brochure.
Storage conditions:	Ambient temperature. Protect against cold, heat and humidity. Consider conditions noted on the packaging.
Warning reference:	Please consider the information brochure!
User references:	EKASTU Safety GmbH guarantees the indicated achievement according to class and type. It is to be noted that the laboratory test values can considerably deviate from those, which are reached in practice. The user must read and understand all functional information. Use the Protection gloves with this information brochure, the relevant valid statutory regulations and the safety requirements of the profession associations, particularly the regulations for use in accordance with DGUV Rule 112-195 „Use of Protection Gloves“.



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)33-79-87
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Санкт-Петербург (812)309-46-40	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саратов (845)249-38-78	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Севастополь (8692)22-31-93	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саранск (8342)22-96-24	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Сочи (862)225-72-31	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Сургут (3462)77-98-35	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тамбов (4752)50-40-97	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47	Тверь (4822)63-31-35	

Россия +7(495)268-04-70	Казахстан +(727)345-47-04	Беларусь +(375)257-127-884	Узбекистан +998(71)205-18-59	Киргизия +996(312)96-26-47
-------------------------	---------------------------	----------------------------	------------------------------	----------------------------